

thermo scientific

Thermo Scientific Nicolet iS10 FTIR Spectrometer




Complete infrared spectroscopy system
for routine analytical needs

ThermoFisher
SCIENTIFIC


Your process, our answer




Load




Measure



Verify



Identify



Ensure



Comply



Textiles



Chemicals



Pharmaceuticals



Lubricants



Rubbers/Polymers

The first FTIR spectrometer designed for you

Owning a Thermo Scientific™ Nicolet™ iS10 FTIR spectrometer means you are up and ready as soon as your instrument is turned on. You do not need to be a spectroscopy expert to get good data from your Nicolet iS10 spectrometer—the expertise is already built into the instrument.

Materials verification

Validation, data integrity and push-button operation are important requirements, but no longer sufficient in today's fast-paced, continuous-improvement business environment. Your job requires you to manage cost of ownership of your equipment, enhance productivity, save time, and ensure that human errors are at a minimum. You demand unambiguous answers. The Nicolet iS10 FTIR spectrometer, with award-winning Thermo Scientific™ OMNIC™ software, creates the most effective tool to achieve your objectives without compromise.

Materials identification


Challenges walk through your lab door every day. Handling last-minute demands from manufacturing, quality control and product development—troubleshooting is your daily “routine.” Your answers determine not only your customers' satisfaction, but also your company's image and profitability. Performance, ease-of-use and reliability are of paramount importance. The Nicolet iS10 spectrometer goes the distance with you—risk free.



These are only a few of the materials that can be monitored for consistent quality using the Nicolet iS10 FTIR spectrometer.



Biofuels/Fuels



Packaging



Inks/Pigments/
Paints



Cement



Cosmetics

QC analysis — sample in...





System is always qualified

- Save valuable time and optimize laboratory throughput by running system qualification overnight, every night with System Performance Verification (SPV)
- Qualify the spectrometer and the accessory
- System suitability testing complements performance verification
- Constant system monitoring

Sample information loading and preparation

- Minimize user interaction by loading sample information through bar codes
- Standardize sample preparation and quality of results by using the Thermo Scientific™ Smart iTX™ ATR sampling accessory
- Automate method selection for error-free operation



Running the Nicolet iS10 FTIR spectrometer means no typing sample numbers, no printing SOPs and no manual selection of methods. You don't even need to touch the computer.

What you get is:

- Speed
- Consistency
- Security
- Confidence

QC analysis — answers out

Verify Sample

Pass / Fail


Report Out

Sample verification


- Verify raw materials, intermediates and finished products for consistency, purity and concentration
- Be absolutely confident in your pass/fail results, regardless of your sample, thanks to the new and unique compare tools in the Thermo Scientific™ QCheck™ feature
- Quantify your compounds with classic and chemometric tools in Thermo Scientific™ TQ Analyst™ software

Comprehensive reports, quick and easy


- System validation status and date
- Sampling accessory validation status and date
- Method verification (suitability) status and date
- Sample verification status (pass or fail)
- User ID and digital signature (where applicable)
- Generated and digitally stored for convenient review throughout your organization



Clear and simple answers for smooth quality control and assurance.



Standard on every Nicolet iS10 spectrometer is an integrated scan button pad that incorporates LED status and humidity indicator.



Productivity and efficiency

Double your lab's throughput without doubling your budget. The Thermo Scientific™ Nicolet™ iZ10 adds a second sampling module while sharing your Nicolet iS10 spectrometer's analytical engine.

Maximize productivity

- Configure the spectrometer for routine daily use with the main sample compartment
- Eliminate accessory changeover delays and complete sample analysis faster

Ensure quality results

- Optimized performance of dedicated accessories with the flexibility to meet changing needs quickly

Easily comply

- Independently validate each module with our Thermo Scientific™ ValPro™ system qualification package

Simplify sampling

The Thermo Scientific Near-IR Integrating Sphere samples directly through glass, allowing you to rapidly analyze materials for both qualitative and quantitative assessment.

Use the Near-IR Integrating Sphere to:

- Eliminate sample preparation
- Speed up analysis
- Analyze bulk samples
- Get pass/fail or quantitative results



The Nicolet iZ10 module doubles your sampling capabilities with one spectrometer.



Analytical support—problem in, answer out

When defects occur in your manufacturing process, when suspected counterfeit goods threaten your brand, or when your quality control laboratory rejects a product—your analytical services day has begun.

Tough questions...

- Q** Why was the material rejected?
- Q** Why did the failure occur?
- Q** Is the customer correct, or did they not use the product properly?
- Q** What is the root cause?
- Q** What possible actions can we take?

Getting to the core of these questions requires an investment in spectral libraries, ability to identify mixtures and a justification of your results—just a good quality infrared spectrum is not enough!


Meet Thermo Scientific™ OMNIC™ Spectra™ software, a unique combination of spectral identification tools, interpretation algorithms and a knowledge-base of scientific documentation that guides you in identifying and certifying assumptions. Combined with a standard collection of several thousand spectra, you now have the capability for:

- Automated qualitative and semi-quantitative analysis of pure compounds and mixtures
- Comprehensive search and interpretation tools
- Expert knowledge base
- An all encompassing database that includes every spectrum on your computer

...Require definitive answers

- A** OMNIC Spectra improves your lab's problem-solving skills—minimizing the cost of external contract lab services.
- A** OMNIC Spectra protects and improves your customer satisfaction.
- A** OMNIC Spectra reduces inconsistent product quality and product recalls.
- A** Ideal for the analytical services lab, OMNIC Spectra also empowers QC laboratories wanting to minimize costs of external contract lab-services.

Get the highest confidence from infrared spectroscopy materials identification.



OMNIC Spectra software provides innovative identification and interpretation tools and a unique expert knowledge base. It converts all of the spectral data on your hard disk into an always-ready database and includes a standard collection of thousands of spectra enabling you to efficiently and effectively identify pure materials and mixtures.


OMNIC Spectra software can identify multiple compounds in mixtures, simultaneously with a click of the mouse. This example shows a polymer material made of ABS, and a brominated flame retardant as the second component.

Analytical support—see, study, report

Quantitative method development

- Provide better tools to QC laboratories to monitor finished products quality
- Measure the concentration of your ingredients after mixing or before product shipment
- Verify product specifications for quality assurance

OMNIC software includes TQ Analyst quantitative analysis for multiple compounds in simple mixtures. For more complex mixtures and diluted ingredients, chemometric tools such as PLS, PCA and PCR are optionally available.



Contamination and failure analysis by infrared microscopy

- Measure particles, filtrates and contaminants down to a few microns
- Identify composition of small particles by OMNIC Spectra
- Find the possible cause/source of the failure

The Nicolet iS10 FTIR spectrometer can drive the research-grade Thermo Scientific™ Continuum™ FTIR microscope, the far simpler, manual Thermo Scientific™ Nicolet iN5 FTIR microscope or accompany the integrated Thermo Scientific™ Nicolet iN10 FTIR microscope. Define your needs—imaging, automation, point-and-shoot—and you'll find a solution with Thermo Fisher Scientific.




Ensure the quality of your products and identify microscopic contaminants.

Materials analysis by TGA-IR

- Learn more about materials by linking infrared to thermal analysis
- Identify species evolved during thermal decomposition
- Elucidate composition of mixtures, copolymers and blends



OMNIC Series software, with unique Mercury TGA routine and 3-D displays, allows you to quickly and efficiently extract useful information from TGA-IR and other time-based experiments.



Auditing made easy

Quality-driven businesses, pharmaceutical manufacturers and other regulated laboratories must have absolute confidence in the answers they provide—with supporting documentation. The Nicolet iS10 FTIR spectrometer is the perfect partner for any regulated and quality driven environment. The standard qualification package includes software, hardware and documentation based on industry-standard validation methods, traceable standards and automated overnight qualification.

System Performance Verification *(standard)*

- Fully automated ASTM E-1421 method for FTIR spectrometer testing, includes report printout for reference purposes
- Fully automated validation wheel with 1.5-MIL (38-micron) serialized NIST traceable polystyrene film, and NG-11 Schott glass
- SPV software for spectrometer, sampling accessory, method performance verification and system suitability testing
- Overnight system verification, user programmable



ValPro System Qualification *(optional)*

- Fully automated ASTM methods for FTIR spectrometers testing, includes printed copy for reference purposes
- European and Japanese pharmacopoeia methods
- ASTM, EP and JP sampling accessory validation
- Fully automated validation wheel with 1.5-MIL (38-micron) serialized NIST traceable polystyrene film, and NG-11 Schott glass
- ValPro software for spectrometer, sampling module and method performance verification
- Design Qualification documentation (DQ)
- OQ, PQ protocols and documentation
- Installation Qualification (IQ) also available



Digital signature and electronic data security *(optional)*

- Complete 21 CFR Part 11 compliance tools
- Digital signatures for the most secure data
- Audit trails for data and system use
- Server-based security administrator

Don't take risks. Empower your laboratory with a reliable, high-performing and warranty protected FTIR.



Every Nicolet iS10 FTIR spectrometer includes software and tools for ASTM method FTIR validation protocol with capability for comprehensive overnight fully-automated testing, NIST traceable and serialized standard testing, and NIST traceable standard mounted on serialized wheel. ValPro advanced validation package is optionally available for more demanding regulated environments and pharmaceutical industry.




Quality, performance and support

Built to last and backed by the Thermo Fisher Scientific global customer service, the Nicolet iS10 spectrometer is designed to be the workhorse of your laboratory.

Sealed and desiccated optics lowers maintenance costs

Standard KBr/BaF₂ anti-hygroscopic coating, protective windows


- User rechargeable desiccant canister and humidity inspection window
- High-sealing gaskets to protect system from chemical vapors
- Standard integrated multi-level positive pressure purge circuit



Automatic atmospheric suppression removes water and carbon dioxide from spectra, with no need to select a reference spectrum.

Proven technology for low cost, state-of-the-art operation

- Diamond-turned mirrors and pinned-in-place optics provide excellent wavelength accuracy with no need for spectral correction by software
- Dynamic alignment provides superior performance and scan velocities
- IR and halogen sources accessible from the sample compartment are replaceable and interchangeable by the user to further extend your capabilities and lower maintenance costs



The simple optical layout of the Nicolet iS10 spectrometer delivers exceptional sensitivity reducing the time-per-analysis.

Speed and sensitivity: increase your laboratory throughput

- High spectral resolution standard
- Exceptional band-shape and sensitivity
- Exceptional signal to noise ratio
- High scan rate for kinetic studies

Worldwide Service and Support

Thermo Scientific FTIR spectrometers are backed up by the support staff of the largest analytical instrumentation company in the world. Service and support are available almost everywhere. We have more FTIR-trained field service engineers and applications people to support you than any other company. Meeting all of your support needs is our highest priority.



Comprehensive Support for Your Needs

- On-site visits from factory-trained field service engineers
- Technical phone support
- Internet-based technical support
- Performance maintenance programs
- Classroom and on-site training programs
- Contract method and application development programs

Nicolet iS10 FTIR spectrometer

Beyond one-click operation, performance and ease-of-use

- Highest confidence when identifying impurities and mixtures
- Continuous performance verification
- Error-free sample information loading
- Highest confidence in QC pass/fail results
- Full set of tools for passing audits
- Consistent sample preparation
- Universal sampling tools
- Electronic SOP authoring

You are responsible for providing answers. You require the highest confidence in your results, efficient laboratory operation and low cost of ownership. The Thermo Scientific Nicolet iS10 FTIR spectrometer has been designed for you. Discover how the Nicolet iS10 system provides the performance, reliability, and simplicity you require.



Find out more at www.thermofisher.com/is10

ThermoFisher
SCIENTIFIC

©2007-2017 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details.

BR51502_E 09/17M